



Reliable, responsive,
and recognized since 1994.

CORPORATE HEADQUARTERS

114 Lincoln Ave.
Cobleskill, NY 12043
888-680-7974
www.firetesting.com

PRODUCT LISTING

Reference No. NECS-B-169-Fireguard

Status: Current

Manufacturer:

New England Chimney Supply
34 Commerce St.
Williston, VT 05495

Product(s):

FireGuard Ceramic Mortar Joint and Resurfacing System

Report:

Guardian Test Report # GL 62611, Test Report Date 2/15/2011

Standards Tested To: UL Subject 2425-03, Sections 13, 14, 15, 16, 17, and 18 (UL 1777 Sections 7, 8, 9, 10, 11, and 12 are equivalent to the sections cited from UL Subject 2425-03; fire temperature testing sections are identical & the same test equipment is used.)

The FireGuard Ceramic Mortar Joint and Resurfacing System is to be used in chimneys that are constructed from nonmetallic materials. The System is factory made or mixed, and it is assembled in the field to restore the integrity of a chimney's ability to contain and convey the products of combustion to the outside.

Only qualified technicians who have been trained by the manufacturer install the FireGuard Resurfacing System. The technicians are provided with a training manual that gives thorough instructions for proper installation of a FireGuard Resurfacing system.

The maintenance instructions provided to every customer include all the pertinent details of the System.

The FireGuard Chimney Ceramic Mortar Joint and Resurfacing System is a proprietary mix manufactured by New England Chimney Supply.